

## Claims

The claims are being amended in accordance to 37 CFR 1.121 (c).

In pursuant to 37 CFR 1.121 (c).(1), here is the claim listing:

1. **(Currently amended)** An improved sanitary foot cleaning device, comprising:
  - (a) a support having a fluid pouring system including one top horizontal linkage, one front bottom horizontal linkage and one rear bottom horizontal linkage, said top linkage is connected to said bottom front and rear linkages by means of front legs and rear legs;
  - (b) said support having a bar that connects said front bottom horizontal linkage to said rear bottom horizontal linkage;
  - (c) said support having said front bottom horizontal linkage and said rear bottom horizontal linkage being connected to a base;
  - (d) said support having a[n] support sheet interposed between said top horizontal linkage and said rear bottom horizontal linkage;
  - (e) said support having [a] scrubbing ~~system~~ surfaces including a plurality of scrubbing cords, said scrubbing cords interposed between said top horizontal linkage and said front bottom horizontal linkage, [said] scrubbing sheets being attached to said support sheet;
  - (f) said fluid pouring system including a horizontal tube having a nozzle, said nozzle used for inlet of fluid into said fluid pouring system;
  - (g) said horizontal tube having ends and having top grooves connected to said ends in order to attach connectors, said grooves having a front side and a rear side;
  - (h) said top linkage having ends and having bottom grooves connected to said ends in order to attach said connectors;
  - (i) said horizontal tube connecting to said top linkage by said connectors enabling said horizontal tube to pivot in order to pour fluid onto said scrubbing surfaces;
  - ~~(j) said horizontal tube connecting to said top linkage by connectors enabling rotational movement whereby fluid is poured;~~
  - ~~[(k)]~~ (j) said fluid pouring system including outlet orifices, said outlet orifices used for outlet of fluid from said horizontal tube onto said scrubbing surfaces upon actuating downward rotational movement of said horizontal tube.
2. **(Canceled)** The invention of claim 1, wherein said scrubbing surfaces are said scrubbing cords.
3. **(Canceled)** The invention of claim 1, wherein said scrubbing surfaces are said scrubbing sheets.
4. **(Currently amended)** The invention of claim 1, wherein said connectors hav[ing]e a top end and a bottom end, said top end having an attached top circular fixture and said bottom end having an attached bottom circular fixture.

5. The invention of claim 4, wherein said top circular fixtures are housed in said top groove.

6. **(Canceled)** The invention of claim 1, wherein said top grooves attached to said ends of said horizontal tube at distance from center of said horizontal tube whereby fluid is retained in said horizontal tube.

7. The invention of claim 1, wherein said bottom circular fixtures having a front pin and a rear pin.

8. **(Currently amended)** The invention of claim 4, wherein said bottom circular fixtures are housed in said bottom grooves whereby said horizontal tube pivots to a position so that fluid can be poured onto said scrubbing cords upon said front pins resting on [said] front sides of said grooves.

9. **(Currently amended)** The invention of claim 4, wherein said bottom circular fixtures are housed in said bottom grooves whereby said horizontal tube pivots to a position so that fluid can be poured onto said scrubbing sheets upon said rear pins resting on [said] rear sides of said grooves.

10. The invention of claim 1, wherein said linkages of said support are pipes consisting of plastic, metal or rubber.

11. The invention of claim 1, wherein said linkages of said support are rods consisting of plastic, metal or rubber.

12. **(Currently amended)** The invention of claim 1, wherein said container tube consist[ing]s of plastic, metal or rubber.

13. **(Currently amended)** The invention of claim 1, wherein said ~~a-inclined~~ planar support sheet consist[ing]s of plastic, metal or rubber.

14. The invention of claim 1, wherein said scrubbing cords are attached to said top horizontal linkage by a first connection means, said first connection means aligned evenly across said top horizontal linkage.

15. **(Currently amended)** The invention of claim 1, wherein said scrubbing cords are attached to said bottom horizontal linkage by a second connection means, said ~~section~~ second connection means aligned whereby outermost connection means are positioned higher up said bottom horizontal linkage where inner connection means are positioned lower said bottom horizontal linkage.

16. **(Currently amended)** The invention of claim 1, wherein said scrubbing cords consist[ing]s of flexible porous material capable of absorbing fluid; said cords having sufficient width to enable scrubbing between toes of a foot.

17. **(Currently amended)** The invention of claim 1, wherein said scrubbing cords consist[ing]s of flexible fibrous material capable of absorbing fluid; said cords having sufficient width to enable scrubbing between toes of a foot.

18. **(Canceled)** The invention of claim 1, wherein said scrubbing sheets being one sheet of width sufficient to scrub a left and right foot.

19. **(Currently amended)** The invention of claim 1, wherein said scrubbing sheets being two sheets spaced at a location to enable [the] a left sheet to scrub a left foot and [the] a right sheet to scrub a right foot.

20. **(Currently amended)** The invention of claim 1, wherein said scrubbing sheets consist[ing]s of plastic, rubber or fibrous material.

21. **(Currently amended)** The invention of claim 1, wherein said base consist[ing]s of a rigid material and having flexible suction cups underneath.

22. **(Currently amended)** The invention of claim 1, wherein said base consist[ing]s of a rigid material and having means to connect to a surface.